



AMS
American Meteorological Society

Supplemental Material

[© Copyright 2020 American Meteorological Society](#)

Permission to use figures, tables, and brief excerpts from this work in scientific and educational works is hereby granted provided that the source is acknowledged. Any use of material in this work that is determined to be “fair use” under Section 107 of the U.S. Copyright Act or that satisfies the conditions specified in Section 108 of the U.S. Copyright Act (17 USC §108) does not require the AMS’s permission. Republication, systematic reproduction, posting in electronic form, such as on a website or in a searchable database, or other uses of this material, except as exempted by the above statement, requires written permission or a license from the AMS. All AMS journals and monograph publications are registered with the Copyright Clearance Center (<http://www.copyright.com>). Questions about permission to use materials for which AMS holds the copyright can also be directed to permissions@ametsoc.org. Additional details are provided in the AMS Copyright Policy statement, available on the AMS website (<http://www.ametsoc.org/CopyrightInformation>).

Supplementary Figures

Figure S1. 300-hPa velocity potential change (shading) of 12 CMIP5 models AMIP4K-AMIP in JJA. The AMIP climatology is in contours (interval of $1 \times 10^6 \text{m}^2/\text{s}$, with $\pm 2 \times 10^6 \text{m}^2/\text{s}$ omitted). The solid (dashed) lines denote positive (negative) velocity potential.

Figure S2. 300-hPa velocity potential change (shading) of 12 CMIP5 models AMIP4K-AMIP in DJF. The AMIP climatology is in contours (interval of $1 \times 10^6 \text{m}^2/\text{s}$, with $\pm 2 \times 10^6 \text{m}^2/\text{s}$ omitted). The solid (dashed) lines denote positive (negative) velocity potential.




Figure S1. 300-hPa velocity potential change (shading) of 12 CMIP5 models AMIP4K-AMIP in JJA. The AMIP climatology is in contours (interval of $1 \times 10^6 \text{m}^2/\text{s}$, with $\pm 2 \times 10^6 \text{m}^2/\text{s}$ omitted). The solid (dashed) lines denote positive (negative) velocity potential.




Figure S2. 300-hPa velocity potential change (shading) of 12 CMIP5 models AMIP4K-AMIP in DJF. The AMIP climatology is in contours (interval of $1 \times 10^6 \text{m}^2/\text{s}$, with $\pm 2 \times 10^6 \text{m}^2/\text{s}$ omitted). The solid (dashed) lines denote positive (negative) velocity potential.